NORTHWESTERN UNIVERSITY PROJECT NAME _____ JOB # _____

FOR: _____ ISSUED: 03/29/2017

FOR: _____ ISSUED: 03/29/2017

- E. Filters
 - 1. Unit shall have filter track with factory--supplied cleanable filters.
- F. Operating Characteristics
 - 1. SAHU-1 when matched with the appropriate outdoor section, shall have a minimum listed SEER (seasonal energy efficiency ratio) of 13 at ARI conditions.
 - 2. All other operating characteristics as sv1(c)-8(s)-8.-1.1(e o)-1ad()-12.2(wnd)-13.2(her)-[(Ava r)-6.3(-8.-1.1)]

FOR: _____ ISSUED: 03/29/2017

- 9. Fan speed control shall be user--selectable: high, medium, low, or microprocessor controlled automatic operation during all operating modes.
- 2.6 OPTIONAL FEATURES:

Α.

FOR: _____ ISSUED: 03/29/2017

- 1. Manufacturer's Field Service: Engage a factory-authorized service representative to inspect components, assemblies, and equipment installations, including connections, and to assist in testing.
- B. Tests and Inspections:
 - 1. Leak Test: After installation, charge system and test for leaks. Repair leaks and retest until no leaks exist.
 - 2. Operational Test: After electrical circuitry has been energized, start units to confirm proper motor rotation and unit operation.
 - 3. Test and adjust controls and safeties. Replace damaged and malfunctioning controls and equipment.
- C. Remove and replace malfunctioning units and retest as specified above.
- D. Prepare test and inspection reports.
- 3.4 DEMONSTRATION
 - A. Engage a factory-authorized service representative to train Owner's maintenance personnel to adjust, operate, and maintain units.

END OF SECTION 23 8126

NORTHWESTERN UNIVERSITY PROJECT NAME _____ JOB # _____

FOR: _____ ISSUED: 03/29/2017

THIS PAGE IS INTENTIONALLY BLANK